

**CGM-3-...-410**

Network Type : MV

Insulating gloves with mechanical protection and Arc Flash  
 12 cal/cm<sup>2</sup>, class 3 - 26 500 V AC, length : 410 mm

**Application:**

- Wellfit finish: soft, supple, durable and ergonomic with high flexibility to ease the work.
- Convenient to any hand shape.
- Resistant: latex with reinforced mechanical protection against tearing. To be used without over-gloves.
- Protection against the thermal hazards of an electric arc 12 cal/cm<sup>2</sup>. IEC 61482-1-2 APC 2 (box test 7 kA).



**Features:**

- Electrical insulating gloves, class 3 (26 500 V AC, 39 750 V DC).
- Cut edges.
- Material: bicolor natural latex. (exterior: orange, interior: natural).
- Traceability through flashcode on color-coded label. The color is according to the class.
- Category: RC (Acid, Ozone, Cold, Oil resistance).



| Reference    | Size | Length (mm) | Class | Voltage              |                      | ATPV (cal/cm <sup>2</sup> ) | Arc         |          |
|--------------|------|-------------|-------|----------------------|----------------------|-----------------------------|-------------|----------|
|              |      |             |       | Operating Voltage AC | Operating Voltage DC |                             | Box Test    | Category |
| CGM-3-09-410 | 9    | 410         | 3     | 26 500 V             | 39 750 V             | 12                          | 7kA / 30 cm | RC       |