

**CGM-0-...-410**

Network Type : MV

Insulating gloves with mechanical protection and Arc FLASHVAC, length : 410 mm


**Application:**

- Wellfit finish: soft, supple, durable and ergonomic with high flexibility to ease the work.
- Convenient to any hand shape.
- Resistant: latex with reinforced mechanical protection against tearing. To be used without over-gloves.
- Protection against the thermal hazards of an electric arc 12 cal/cm<sup>2</sup>. IEC 61482-1-2 APC 2 (box test 7 kA).



**Features:**

- Electrical insulating gloves, class 0 (1 000 V AC, 1 500 V DC).
- Cut edges.
- Material: bicolor natural latex. (exterior: orange, interior: natural).
- Traceability through flashcode on color-coded label. The color is according to the class.
- Category: RC (Acid, Ozone, Cold, Oil resistance).



Reference	Size	Length (mm)	Voltage		ATPV (cal/cm <sup>2</sup> )	Arc Box Test	Category
			Operating Voltage AC	Operating Voltage DC			
CGM-0-07-410	7	410	1 000 V	1 500 V	12	7kA / 30 cm	RC
CGM-0-08-410	8	410	1 000 V	1 500 V	12	7kA / 30 cm	RC
CGM-0-09-410	9	410	1 000 V	1 500 V	12	7kA / 30 cm	RC
CGM-0-10-410	10	410	1 000 V	1 500 V	12	7kA / 30 cm	RC
CGM-0-11-410	11	410	1 000 V	1 500 V	12	7kA / 30 cm	RC
CGM-0-12-410	12	410	1 000 V	1 500 V	12	7kA / 30 cm	RC