

CG-3-...-NR

Network Type : MV

Latex electrical insulating gloves class 3 - 26 500 V AC

Application:

- Wellfit finish: soft, supple, durable and ergonomic with high flexibility to ease the work.
- Convenient to any hand shape.
- Gloves without extra-mechanical protection; to be worn with leather over-gloves Ref. **CG-991** to ensure full mechanical protection.



Features:

- Electrical insulating gloves, class 3 (26 500 V AC, 39 750 V DC). Length: 360 mm.
- Rolled cuff for comfort and ease of donning and doffing.
- Material: Latex with natural color inside, red color outside ensuring highest dielectric features.
- Traceability through flashcode on color-coded label. The color is according to the class.
- Category: RC (Acid, Ozone, Cold, Oil resistance).



| Reference | Class | Operating Voltage AC | Operating Voltage DC | Length (mm) | Category |
|------------|-------|----------------------|----------------------|-------------|----------|
| CG-3-08-NR | 3 | 26 500 V | 39 750 V | 360 | RC |
| CG-3-09-NR | 3 | 26 500 V | 39 750 V | 360 | RC |
| CG-3-10-NR | 3 | 26 500 V | 39 750 V | 360 | RC |
| CG-3-11-NR | 3 | 26 500 V | 39 750 V | 360 | RC |
| CG-3-12-NR | 3 | 26 500 V | 39 750 V | 360 | RC |