

## CGM-4..

Network Type : MV

Insulating gloves with mechanical protection

**Application:**

- Wellfit finish: soft, supple, durable and ergonomic with high flexibility to ease the work.
- Convenient to any hand shape.
- Resistant: latex with reinforced mechanical protection against tearing. To be used without over-gloves.
- Protection against the thermal hazards of an electric arc 12 cal/cm<sup>2</sup>. IEC 61482-1-2 APC 2 (box test 7 kA).

**Features:**

- Electrical insulating gloves, class 4 (36 000 V AC, 54 000 V DC).
- Arc Flash 12 cal/cm<sup>2</sup>, class 4 - 36 000 V AC, length: 410 mm
- Cut edges.
- Material: bicolor natural latex. (exterior: orange, interior: natural).
- Traceability through flashcode on color-coded label. The color is according to the class.
- Category: RC (Acid, Ozone, Cold, Oil resistance).



| Reference | Size | Length (mm) | Class | Voltage              |                      | ATPV (cal/cm <sup>2</sup> ) | Arc<br>Box Test | Category |
|-----------|------|-------------|-------|----------------------|----------------------|-----------------------------|-----------------|----------|
|           |      |             |       | Operating Voltage AC | Operating Voltage DC |                             |                 |          |
| CGM-4-09  | 9    | 410         | 4     | 36 000 V             | 54 000 V             | 12                          | 7kA / 30 cm     | RC       |
| CGM-4-10  | 10   | 410         | 4     | 36 000 V             | 54 000 V             | 12                          | 7kA / 30 cm     | RC       |
| CGM-4-11  | 11   | 410         | 4     | 36 000 V             | 54 000 V             | 12                          | 7kA / 30 cm     | RC       |
| CGM-4-12  | 12   | 410         | 4     | 36 000 V             | 54 000 V             | 12                          | 7kA / 30 cm     | RC       |